

ANCHORMATE® Anchor Bolt Holders


Designed to hold the anchor in place before the concrete pour, as required in some jurisdictions.

FEATURES:


- Built-in 2x4 and 2x6 stops eliminate measuring.
- Elevated bolt grippers allow easy trowel finishing.
- Color-coded for easy size identification.
- Lightweight, durable and easy to use.
- Reusable yet cost-efficient for single application.
- Threaded grippers hold each bolt in the exact same location and height. They secure the bolt in place without a nut for quicker set-up and tear-down, and protect threads from splashing concrete.
- Use the $\frac{5}{8}$ " and $\frac{7}{8}$ " AnchorMate to secure the anchor bolt to the formboard before the concrete pour. Alignment arrows (left or right) match the anchor bolt head arrow.
- Available in cartons of 100 parts or bags of 10 parts.

MATERIAL: Nylon


CODES: See page 8 for Code Listing Key Chart.



Model No.	Dia.	Color	Code Ref.
AM $\frac{1}{2}$	$\frac{1}{2}$	Yellow	180
AM $\frac{5}{8}$	$\frac{5}{8}$	Blue	
AM $\frac{3}{4}$	$\frac{3}{4}$	Red	
AM $\frac{7}{8}$	$\frac{7}{8}$	Green	



Typical AnchorMate Installation for a 2x6 Mudsill



Typical AnchorMate Installation for a 2x4 Mudsill

ABS Anchor Bolt Stabilizer


The ABS stabilizes the anchor bolt to prevent it from being pushed against the form during the concrete pour.

FEATURES:


- Supports the bolt approx. 8" below the top of the concrete.
- Model ABS $\frac{5}{8}$ is for the $\frac{5}{8}$ " anchor bolts and ABS $\frac{7}{8}$ is for $\frac{7}{8}$ " anchor bolts.
- Thin section limits the effect of a cold joint.
- Sized for 2x4 and 2x6 mudsills.

MATERIAL: Engineered Composite Plastic

CODES: See page 8 for Code Listing Key Chart.



ABS Anchor Bolt Stabilizer



Typical ABS Installation

Model No.	Diameter	Color	Code Ref.
ABS $\frac{5}{8}$	$\frac{5}{8}$	Blue	180
ABS $\frac{7}{8}$	$\frac{7}{8}$	Green	

STRAPMATE® Strap Holder

The StrapMate is designed to keep the STHD, S/HPAHD and S/PAHD straps vertically aligned during the concrete pour to minimize possibility of spalling. The friction fit allows for quick and easy installation.


FEATURES:

- The StrapMate is reusable.
- Works with STHD, S/HPAHD, S/PAHD.

MATERIAL: Engineered Composite Plastic


- Designed to fit $\frac{3}{4}$ " plywood forms up to 1 $\frac{3}{4}$ " LVL forms and larger.
- The strap is positioned off the front edge of the form board.

CODES: See page 8 for Code Listing Key Chart.



StrapMate Strap Holder

U.S. Patent 6,796,099



Typical StrapMate Strap Holder Installation

Model No.	Nails	Code Ref.
SM1	2-8d Duplex	180