





Product Information – Standard Sizes

The Strong Frame™ ordinary moment frame is a factory-built moment frame consisting of two columns, a beam and a connection kit. The columns are anchored to the foundation using anchor bolts and are connected to the beam using high-strength bolts. The 368 available models of the Strong Frame moment frame are created by combining various sizes of columns (in pairs) with various sizes of beams. Columns are 6", 9", 12" and 15" inches wide and beams are 8½" and 12" deep (dimensions do not include wood nailers).



Assembly Elevation






Naming Scheme

Ordinary moment frame beams and columns are manufactured with pre-installed 2x6 wood nailers.

Product Information – Custom Sizes

New! Strong Frame™ ordinary moment frames are now available in custom sizes to suit almost any project. Using our standard Strong Frame column and beam profiles, we now offer frames manufactured to your size specifications in clear-opening widths ranging from 6' to 20'-4" and clear-opening heights from 6' to 19'-10½". You can have the exact size you need on your next project.


And to make frame selection easier, our custom sizes are included in our Strong Frame Selector software. Just enter the desired frame size and required loads and the software will suggest frame options to suit your project. Download the software free at www.strongtie.com.



Assembly Elevation

When specifying or ordering use the following nomenclature:

OMFX1212-140.00x96.50



Custom Naming Scheme